

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)



3611

741004.1005

UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Thomas William WIELKOPOLSKI
Serial No. : 10/051,210
Filed : January 16, 2002
For : DRIVE SYSTEM
Examiner : Not Assigned
Group Art Unit : Not Assigned

#5
PRIORITY
PAPER
ASW
4-1-02

SUBMISSION OF PRIORITY DOCUMENT

RECEIVED
MAR 26 2002
GROUP 3600

Assistant Commissioner for Patents
Washington, DC 20231

Dear Sir:

In accordance with Applicant's Letter re Priority dated November 23, 2001, Applicant submits herewith a Certified Copy of the Priority Document, Italian Patent Application No. FI2000 A 000239, as filed on November 24, 2000.

Respectfully submitted,

Dated: March 13, 2002

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, DC 20231

On March 13, 2002
Name Grant E. Pollack
[Signature]
Signature
March 13, 2002
Date of Signature

[Signature]
Grant E. Pollack, Esq.
Registration No. 34, 097
Steinberg & Raskin, P.C.
1140 Avenue of the Americas, 15th Floor
New York, New York 10036
(212) 768-3800

Attorney for Applicant



THIS PAGE BLANK (USPTO)



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

RECEIVED
MAR 26 2002
GROUP 3600

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 24 January 2002



THIS PAGE BLANK (USPTO)

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

SMR/MAW/P.73285

2. Patent application number

(The Patent Office will fill in this part)

9916761.1


3. Full name, address and postcode of the or of each applicant (underline all surnames)

WIELKOPOLSKI, THOMAS WILLIAM
8 SLATER WAY
DUNSTABLE
BEDS

Patents ADP number (if you know it)

423 844 0003

If the applicant is a corporate body, give the country/state of its incorporation



4. Title of the invention

DRIVE SYSTEM

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

URQUHART-DYKES & LORD
MIDSUMMER HOUSE
411C MIDSUMMER BOULEVARD
CENTRAL MILTON KEYNES
BUCKS MK9 3BN

Patents ADP number (if you know it)

1644008

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

No

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form -

Description 4

Claim(s) -

Abstract -

Drawing(s) 3

+ 3 0

10. If you are also filing any of the following, state how many against each item.

Priority documents -

Translations of priority documents -

Statement of inventorship and right to grant of a patent (Patents Form 7/77) -

Request for preliminary examination and search (Patents Form 9/77) -


Request for substantive examination (Patents Form 10/77) -

Any other documents -
(please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature


URQUHART-DYKES & LORD

Date

16.07.99.

12. Name and daytime telephone number of person to contact in the United Kingdom

MR SIMON RAYNOR - 01908.666645

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

DRIVE SYSTEM

The present invention relates to a drive system and in particular, but not exclusively, to a drive system for a bicycle. The drive system is also applicable to other human-powered vehicles and mechanisms. The invention also relates to a bicycle having a drive system.

- 5 The drive system used by conventional bicycles consists of a pair of rotating pedal cranks connected by a chain and sprockets to the rear wheel. This system has certain disadvantages. In particular, the tangential force the cyclist is able to exert on the pedals varies considerably according to the positions of the pedal cranks and is at a maximum only when the pedal cranks are approximately horizontal. This limits the efficiency and/or
- 10 maximum power output of the cyclist.

It is an object of the present invention to provide a drive system that mitigates the aforementioned disadvantage. A further object of the present invention is to provide a bicycle having a drive system that enables the cyclist to provide a greater power output and/or to cycle more efficiently.

- 15 According to the present invention there is provided a drive system including at least one lever system having a manually-operable means attached thereto for reciprocating movement, and a drive train connected to the lever system for transferring drive from the manually-operable means.

The manually-operable means is preferably a pedal but may alternatively be a handle.

- 20 The drive system preferably includes two lever systems, which are preferably interconnected for opposed reciprocating movement.

- The lever system preferably includes a first lever having a first end that is connected to a first fixed pivot and a second end that is rotatable about the first fixed pivot, a second lever having a first end that is pivotably connected to the second end of the first lever and a
- 25 second end to which the manually-operable means is attached, and a tie rod having a first end that is pivotably connected to a second fixed pivot and a second end that is pivotably connected to the second lever between the first and second ends thereof.

The drive train preferably includes a hydraulic drive train but it may alternatively be entirely mechanical.

The hydraulic drive train preferably includes a hydraulic drive cylinder having a first end that is connected to a pivot point and a second end that is connected to the first lever between
5 the first and second ends thereof, for actuation by pivoting movement of the first lever.

The first end of the hydraulic drive cylinder is preferably connected to a movable pivot point that can be moved to adjust the stroke length of the cylinder. A hydraulic adjuster may be provided for adjusting the position of the movable pivot point.

The present invention further provides a bicycle having a drive system as described in the
10 preceding paragraphs.

The bicycle may includes a hydraulic drive train including at least one hydraulic motor for driving the rear wheel, the front wheel or both wheels of the bicycle. The bicycle may include a plurality of hydraulic motors that can be connected into the hydraulic circuit individually, in series or in parallel to adjust the gearing effect of the drive system.

15 An embodiment of the invention will now be described, by way of example, with reference to the accompanying drawings, in which:

Fig.1 is side view of the drive system;

Fig. 2 is a side view of a bicycle having a drive system as shown in Fig. 1, and

Fig. 3 is a hydraulic circuit diagram of a hydraulic drive train for use with the drive system.

20 The invention relates to a drive system for bicycles or other pedal driven mechanisms. The system includes a first arm 1 and a second arm 2, which are attached to the bicycle frame 3 at their upper ends through first and second pivots 4,5. A lever 6 is attached to the lower ends of the first and second arms through third and fourth pivots 7,8, the third pivot 7 being located at one end of the lever 6 and the fourth pivot 8 being located between the ends of
25 the lever, close to the third pivot 7. A pedal 9 is attached to the free end of the lever 6, the arrangement being such that the pedal can move up and down substantially linearly, as

indicated by the arrow labelled "down". All these items may be duplicated in a symmetrical fashion for a second pedal.

The first arm 1 is attached to a drive train to turn the wheels or drive the mechanism. In a preferred arrangement of the design the drive train consists of a hydraulic drive cylinder 10, which is attached at its lower end to a pivot 11 on the first arm 1, located between its ends. The hydraulic drive cylinder 10 is attached at its upper end to the frame 3 and a hydraulic adjuster 12. The hydraulic adjuster 12 is also attached to the frame 3 through a pivot 13 and may be actuated to adjust the position of the upper end of the drive cylinder relative to the frame. The hydraulic drive cylinder pumps oil around a hydraulic system. This system, which is shown in Fig. 3, has an oil reservoir 15 and a regulation system and a control system 16 and one or more hydraulic motors 17.

When a pressure is exerted on the pedal 9 the lever 6 moves in the direction labelled "down" and rotates around pivot 7 and the reaction through the second arm 2 forces the first arm 1 to rotate around pivot 4, driving the hydraulic drive cylinder 10, which is arranged to pump oil around the hydraulic system. When the pedal 9 reaches the end of possible movement it is so arranged to return to the start position at the opposite end of its range of movement. In so doing the hydraulic drive cylinder 10 is refilled with fluid and the cycle starts again. The components are so arranged that movement of the hydraulic adjuster 12 has the effect of varying the amount of oil pumped around the system, thereby providing a continuously (i.e. steplessly) variable gearing system. The adjuster may be arranged in such a way that the fluid in the drive system operates the adjuster so providing automatic adjustment of the gear ratios. Both sides may be connected together to ensure that the pedals move in opposite directions.

The hydraulic circuit may be arranged as shown in the diagram included here for clarity only. Fluid is drawn from the reservoir 15 through a one way valve 18 to the hydraulic cylinder 10 and pumped under pressure through another one way valve 19 to a control valve 16 and so through motors 17 as required then returning to the reservoir. A small amount of fluid is passed into a control system 20 to actuate the adjuster 12.


In alternative arrangements, the hydraulic components may be replaced by a gear, shaft or chain drive. In these arrangements provision will be made for relative movement of the pivots to provide a range of gear ratios.

The constituent parts are so arranged that the movement of the pedal and output is in
5 relation to the force that can be exerted on the pedal. There is no point in the cycle that a full force cannot be output by the system. By aligning the direction of pedal movement with the input force the system makes more efficient use of the work energy available.

Various modifications of the drive system are possible. For example, the drive cylinder may be connected to the second arm instead of the first arm; the lever to which the pedal is
10 attached may be curved rather than straight; and the whole mechanism may be oriented differently, for example when it is advantageous for the person operating the drive system to adopt a reclined position.

tom FRAME 1 JUNE 10, 1999 21.07.53

1/3



THIS PAGE BLANK (USPTO)




Fig. 2

THIS PAGE BLANK (USPTO)




Fig. 3

THIS PAGE BLANK (USPTO)